

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	"5971047".pn.	USPAT
2	BRS	L2	11	("0903714" "1261754" "1919911" "2868258" "3301303" "4580610").PN.	US-PGPUB; USPAT; USOCR
3	BRS	L3	15	("4580610").URPN.	USPAT
4	BRS	L4	1	"2186178".pn.	USPAT
5	BRS	L5	6	("2186178").URPN.	USPAT
6	BRS	L6	2	"2604431"	USPAT
7	BRS	L7	6	"2604431"	USPAT; USOCR; EPO; JPO; DERWENT
8	BRS	L8	2	"6883568".pn.	USPAT; USOCR; EPO; JPO; DERWENT
9	BRS	L9	6	("20030136488" "2186178" "3656532" "4061172" "6276416").PN.	US-PGPUB; USPAT; USOCR
10	IS&R	L10	83	(152/455).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
11	IS&R	L17	614	(152/555).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
12	IS&R	L18	2	("0010096").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Err ors
1	2006/03/02 14:18			
2	2006/03/02 14:19			
3	2006/03/02 14:25			
4	2006/03/02 14:25			
5	2006/03/02 14:30			
6	2006/03/02 14:30			
7	2006/03/02 14:37			
8	2006/03/02 14:38			
9	2006/03/02 14:43			
10	2006/03/02 14:45			
11	2006/03/02 15:05			
12	2006/03/02 15:05			

	Type	L #	Hits	Search Text	DBs
13	IS&R	L11	63	(152/551).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
14	IS&R	L12	350	(152/541).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
15	IS&R	L15	211	(152/550).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
16	IS&R	L16	94	(152/553).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
17	IS&R	L13	435	(152/542).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
18	IS&R	L14	546	(152/543).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
19	BRS	L19	0	tire with (bead or seat) with angle with outside with "less than" with " 70 degrees"	USPAT
20	BRS	L20	0	tire with (bead or seat) with angle with outside with "less than" with ("70" or seventy)	USPAT

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Err ors
13	2006/03/02 15:47			
14	2006/03/02 15:50			
15	2006/03/02 16:03			
16	2006/03/02 16:07			
17	2006/03/02 16:12			
18	2006/03/02 16:37			
19	2006/03/02 16:40			
20	2006/03/02 16:41			

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	0	tire with (bead or seat) with angle with outside with "less than" with ("70" or seventy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
22	BRS	L22	0	tire with (bead or seat) with angle with outside with "less than" with "70 degrees"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
23	BRS	L23	0	tire with (bead or seat) with angle with outside with "less than" with "seventy degrees"	USPAT
24	BRS	L24	0	tire with (bead or seat) with angle with outside with "seventy degrees" with "or less"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
25	BRS	L25	0	tire with (bead or seat) with angle with outside with ("70" or seventy) with degrees with "or less"	USPAT
26	BRS	L26	15	tire with (bead or seat) with angle with outside with ring	USPAT

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Err ors
21	2006/03/02 16:39			
22	2006/03/02 16:39			
23	2006/03/02 16:40			
24	2006/03/02 16:40			
25	2006/03/02 16:41			
26	2006/03/02 16:42			

	Type	L #	Hits	Search Text	DBs
27	BRS	L28	0	tire with (bead or seat) with angle with outside with ring with "70"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
28	BRS	L27	19	tire with (bead or seat) with angle with outside with ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Err ors
27	2006/03/02 16:42			
28	2006/03/02 16:56			